

# **Mineral Industry Surveys**

For information, contact:
Peter H. Kuck, Nickel Commodity Specialist
U.S. Geological Survey
989 National Center
Reston, VA 20192

Telephone: (703) 648-4965, Fax: (703) 648-7757

E-mail: pkuck@usgs.gov

Barbara J. McNair (Data) Telephone: (703) 648-7952 Fax: (703) 648-7975

MINES FaxBack: (703) 648-4999

Internet: http://minerals.usgs.gov/minerals

#### **NICKEL IN DECEMBER 1999**

In December, reported domestic nickel consumption on a daily average basis was 3% greater than that of November, according to the U.S. Geological Survey. Average daily consumption by the stainless steel industry in December was 14% higher than the November average of 104 metric tons (t). Consumption of elemental nickel to make nickel-base corrosion-resistant alloys increased by 25%. Daily consumption by alloy steel producers—a considerably smaller tonnage than that of stainless steel—decreased slightly. Sales to plating companies averaged 31 metric tons per day (t/d), down 20% from the November sales figure. Percentages reported in this paragraph may not be verifiable owing to concealment of individual company proprietary data

Preliminary data indicate that U.S. apparent consumption of primary nickel in 1999 will be about 6% higher than the 1998 figure of 149,000 t.

On December 31, U.S. consumer stocks of cathode, pellets, briquets, and powder totaled 2,690 t-25% less than the 3,580 t (revised) for November 30 and 57% less than the 1998 high of 6,330 t reached on December 31, 1998. Stocks in London Metal Exchange (LME) warehouses worldwide decreased 3% during December to 46,962 t. LME stocks at yearend 1998 were 65,964 t. Preliminary data collected by the International Nickel Study Group indicated that, at the end of November, world nickel producers (excluding those in Austria, China, the former Yugoslavia, and the Ural area of Russia) had approximately 89,300 t of Ni in primary products in stock, of which 66,200 t were Class I materials. Class I materials are refined products with a nickel content of 99% or greater (electrolytic cathode, pellets, briquets, rondelles, powder, etc.). Class II materials include ferronickel, nickel oxide sinter, and East Asian utility nickel—products with a nickel content less than 99%.

The United States imported 130,000 t of primary nickel during the first 11 months of 1999, 7% less than the 139,000 t for the corresponding period of 1998. Class I materials accounted for 85% of total primary imports received during the first 11 months of 1999. Trade data for December 1999 will appear in a

subsequent issue.

# U.S. Department of Energy suspends plans to sell decontaminated nickel to scrap recyclers

On January 12, 2000, the U.S. Secretary of Energy announced that he had forbidden the release of decontaminated nickel scrap into the marketplace until national treatment standards could be developed (U.S. Department of Energy, 2000; Washington Post, 2000). The U.S. Department of Energy (DOE) has some 6,000 t of "volumetrically contaminated nickel" stored at the East Tennessee Technology Park in Oak Ridge, TN (Nuclear News, 2000; U.S. Department of Energy, 2000). The term "volumetrically contaminated" describes metal that has radioactive contamination dispersed throughout the mass of the metal, as opposed to a surface coating of contamination. The Oak Ridge material is a legacy of the U.S. Government's nuclear weapons programs. The prohibition also applies to all volumetrically contaminated materials stored at DOE's facilities nationwide. The prohibition affects at least 10,000 t of contaminated scrap stored at other DOE sites. The Secretary's order will give DOE managers time to evaluate alternatives to "free release." (See Nickel Development Institute, 1999a, and Reid, 1999a, for a definition and discussion of "free release.")

The East Tennessee Technology Park occupies the former K-25 Site where the defunct Oak Ridge Gaseous Diffusion Plant was located. In 1996, DOE awarded a contract to British Nuclear Fuels Limited (BNFL) to clean up several buildings at the former uranium enrichment plant. BNFL has been removing equipment containing large amounts of nickel as part of the cleanup. Under the original contract, BNFL had the option of melting and decontaminating the nickel before releasing the material into commerce under a State of Tennessee license (U.S. Department of Energy, 2000).

Several industry and community groups began protesting the Government recycling plan as the project approached startup. Opposition has grown significantly since then. On November 30, 1999, the Metals Industry Recycling Coalition (MIRC) sent a letter

to the Secretary of Energy expressing the coalition's opposition to the recycling project. MIRC represents a number of metals producers and trade groups, including the Aluminum Association, the American Iron and Steel Institute, the Copper and Brass Fabricators Council, the Steel Manufacturers Association, and the Nickel Development Institute.

On December 21, 1999, the Nickel Development Institute (NiDI) presented a 15-page brief to the U.S. Nuclear Regulatory Commission (NRC) opposing the entry of "low-level" radioactive nickel scrap into the commercial recycling stream (Nickel Development Institute, 1999a). The NRC is the Federal agency responsible for developing and enforcing national treatment standards for volumetrically contaminated materials. Public hearings are being held to give concerned citizens an opportunity to participate in developing the new standards. On January 6, 2000, the Specialty Steel Industry of North America issued a statement opposing the DOE plan and reaffirming the "zero tolerance" policy of its members toward potentially radioactive scrap metals (Nuclear News, 2000).

NiDI is opposed to "free release" even if the decontaminated metal meets dose-based clearance levels established by the NRC (McKean, 1999; Nickel Development Institute, 1999a,b). NiDI, MIRC, and their member companies are concerned that introduction of decontaminated scrap into the commercial recycling stream would negatively affect the marketability of metal products made from scrap and, more broadly, the marketability of all metal products. They are also concerned that unrestricted use of decontaminated scrap would tarnish the positive image developed over the years by the metals recycling industry. In addition, many steelmakers are worried that increased use of scrap

with above-background levels of radioactivity will complicate operations at melting facilities and increase costs (Reid, 1999a,b).

Spokespersons for the metals industry said that the industry might support a "restricted use" program (Nickel Development Institute, 1999a). Under this concept, the contaminated metal would be processed at a dedicated, licensed facility. The decontaminated metal would then be shipped to an NRC-licensed nuclear facility or to a DOE nuclear facility for onsite use only. For example, DOE could refabricate the metal into shielding or into storage containers for radioactive waste.

#### **References Cited**

- McKean, B.A., 1999, Editorial—Science and perception...and radioactivity: Nickel Development Institute, Communiqué, no. 26, November, p. 1-2.
- Nickel Development Institute, 1999a, Nickel industry opposes sale of "low-level" radioactive scrap: Toronto, Ontario, Nickel Development Institute, press release, December 21, 12 p.
- Nuclear News, 2000, Recycling—Richardson halts plans to reuse contaminated metal: American Nuclear Society, Nuclear News, v. 43, no. 2, February, p. 34-35
- Reid, R.L., 1999a, Fighting over 'free release': Scrap, v. 56, no. 6, November/December, p. 44.
- ———1999b, Radioactivity revisited—Keeping the scrap stream clean: Scrap, v. 56, no.6, November/December, p. 39-48.
- U.S. Department of Energy, 2000, Energy Secretary Richardson blocks nickel recycling at Oak Ridge: U.S. Department of Energy, press release, January 12, 1 p.
- Washington Post, 2000, DOE stops sale of radioactive scrap nickel: January 13, p. A4.

# ${\bf TABLE~1}$ CONSUMPTION OF NICKEL (EXCLUSIVE OF SCRAP), BY FORM AND USE $\ 1/$

(Metric tons, nickel content)

	Cathodes,		Oxide-sinter,				
	pellets,		salts, and		Total		
	briquets, and		other				
Period	powder	Ferronickel	forms	Total	date		
1998:							
December	6,000	1,140	650	7,790	100,000		
January-December	81,400	13,700	5,290	100,000	XX		
1999:	_						
January	6,310	988	399	7,700	7,700		
February	6,540	824	669	8,030	15,700		
March	7,840	487	817	9,150	24,900		
April	7,680	845	602	9,130	34,000		
May	8,050	1,150	695	9,900	43,900		
June	8,310	1,200	695	10,200	54,100		
July	7,560	1,160	481	9,190	63,300		
August	7,140	1,000	349	8,490	71,800		
September	7,100	1,490	321	8,920	80,700		
October	6,700	1,170	288	8,160	88,800		
November	6,710 r/	1,210	457	8,380 r/	97,200 1		
December:							
Steel:	=						
Stainless and heat resisting	1,940	1,060	W	2,990	42,900		
Alloy (excludes stainless)	339	W	W	339	6,440		
Superalloys	1,320		W	1,320	16,400		
Copper-nickel alloys	W	W		W	W		
Electrical, magnetic, and	-						
expansion alloys	43			43	443		
Other nickel & nickel alloys	W		W	W	12,700		
Cast iron	W			W	W		
Electroplating (sales to platers)	972			972	13,700		
Chemical and chemical uses	W			W	W		
Other uses	2,360	9	871	3,240	13,600		
Total reported	6,970 2/	1,060	871	8,910	106,000		
Total all companies (calc) 3/	XX	XX	XX	13,200	158,000		
1999: January-December	86,900	12,600	6,650	106,000	XX		
1998: January-December	81,400	13,700	5,290	100,000	XX		

r/ Revised. W Withheld to avoid disclosing company proprietary data; included in "Other uses" category. XX Not applicable.

<sup>1/</sup> Data are rounded to three significant digits; may not add to totals shown.

<sup>2/</sup> Of consumption, 5,610 metric tons were consumed as cathodes and pellets, the remainder as briquets and powder.

<sup>3/</sup> Figures represent calculated apparent consumption; based on the revised proportion of reported primary consumption (67.27%) to apparent primary consumption for 1998.

# TABLE 2 ENDING STOCKS OF NICKEL (EXCLUSIVE OF SCRAP) HELD BY CONSUMERS, BY FORM AND USE $\,1/\,\,\,2/\,\,$

#### (Metric tons, nickel content)

	Cathodes, pellets,		Oxide-sinter,		
	briquets, and		salts, and		
Period	powder	Ferronickel	other forms	Total	
1998:					
December	6,330	877	1,420	8,620	
1999:					
January	5,770	308	1,300	7,370	
February	4,410	112	989	5,510	
March	3,580	354	431	4,360	
April	3,120	97	364	3,580 r/	
May	3,600	145	351	4,100	
June	3,840	110	312	4,260	
July	3,560	170	263	4,000	
August	3,020	315	269	3,610	
September	3,150	202	447	3,800	
October	3,040	320	507	3,870	
November	3,580 r/	441	597 r/	4,620 r/	
December:					
Steel (stainless, heat resisting and alloy)	1,190	416	(3/)	1,610	
Nonferrous alloys 4/	1,380		(3/)	1,380	
Foundry (cast irons)	(3/)		(3/)	(3/)	
Chemical (catalysts, ceramics, plating					
salts, etc.) and unspecified uses	127		410	537	
Total	2,690	416	410	3,520	

r/ Revised.

 ${\it TABLE \ 3}$  CONSUMPTION AND ENDING STOCKS OF PURCHASED SECONDARY NICKEL, BY USE  $\ 1/$ 

#### (Metric tons, nickel content)

		Consumption			Stocks	
	Ferrous	Nonferrous	Total	Ferrous	Nonferrous	Total
Period	scrap 2/	scrap 3/	scrap	scrap 2/	scrap 3/	scrap
1998:			-			
December	4,250	623	4,880	4,490	161	4,650
January-December	47,200	9,640	56,800	XX	XX	XX
1999:						
January	4,160	797	4,960	4,070	153	4,220
February	3,800	748	4,550	4,250	156	4,400
March	3,890	850	4,740	4,240	159	4,400
April	3,990	963	4,950	3,650	160	3,810
May	4,360	700	5,060	3,190	171	3,360
June	4,610	1,320	5,930	2,780	217	3,000
July	3,740	1,070	4,810	2,590	177	2,760
August	4,120	1,090	5,200	2,530	167	2,700
September	4,950	1,030	5,980	2,890	157	3,040
October	4,770	1,260	6,030	2,700	156	2,860
November	5,860 r/	1,160	7,020 r/	2,790 r/	150	2,940 r
December	5,100	869	5,970	3,680	692	4,370
1999: January-December	53,300	11,900	65,200	XX	XX	XX
1998: January-December	47,200	9,640	56,800	XX	XX	XX

 $<sup>\</sup>ensuremath{r/}$  Revised. XX Not applicable.

- 1/ Data are rounded to three significant digits; may not add to totals shown.
- 2/ Nickel content is calculated from an average nickel content and the reported gross weight of scrap.
- 3/ Combined consumption and stocks of aluminum-base, copper-base, and nickel-base scrap.

<sup>1/</sup> Data are rounded to three significant digits; may not add to totals shown.

<sup>2/</sup> Stocks held by companies that consume nickel in more than one end use category are credited to the major category. Stocks are subject to revisions owing to inventory adjustment.

<sup>3/</sup> Included in the "Chemical and unspecified uses" category.

<sup>4/</sup> Includes superalloys, nickel-copper and copper-nickel alloys, permanent magnet alloys, and other nickel alloys.

# $\label{eq:table 4} \textbf{U.S. IMPORTS FOR CONSUMPTION OF NICKEL, BY COUNTRY} \ \ 1/$

(Metric tons, nickel content 2/)

	Cathodes,	Powder		Metal- lurgical-	Waste	Stainless			Total	
Period and country	pellets, and	and	Ferro-	grade	and	steel			year to	Wrought
of origin	briquets	flakes	nickel	oxide	scrap	scrap	Chemicals	Total 3/	date 4/	nickel
1998:	•				•	•				
November	7,890 r/	616	999	433	300	174	228	10,600	147,000	121
December	6,710	774	296	500	315	169	321	9,080	157,000 r/	84
January-December	120,000	9,850	12,800	2,140	4,210	4,290	3,140	157,000 r/	XX	819
1999:										
January	9,930	697	1,230	185	281	160	181	12,700	12,700	83
February	6,540	783	1,440	302	265	211	240	9,780	22,400	23
March	10,700	926	836	366	394	178	235	13,600	36,100	78
April	6,230	769	1,150	306	414	181	302	9,350	45,400	103
May	9,940	575	860	231	428	303	190	12,500	57,900	80
June	13,000	1,080	1,550	399	260	415	241	16,900	74,800	58
July	5,910	939	1,730		330	243	232	9,380	84,200	105
August	9,280	790	1,310	285	316	263	161	12,400	96,600	110
September	13,800	818	1,240	243	192	270	270	16,800	113,000	120
October	6,100	748	1,190	224	526	335	238	9,370	123,000	106
November:										
Australia	1,620	80						1,700	14,300	
Brazil	640				3	2		645	5,060	
Canada	3,560	465		269	371	1,660	1	6,330	54,400	4
Colombia			191					191	1,650	
Dominican Republic			622					622	6,820	
Finland	216	58					37	311	4,540	
France	125		271 6	/	89		18	503	4,240 6	/ 16
Germany		(5/)			94		28	122	706	65
Japan	(5/)	1			12	(5/)	39	52	800	29
Mexico					33	139	5	177	1,500	10
New Caledonia									3,470 6	/
Norway	3,310							3,310	22,200	
Russia	624	36						660	12,400	
South Africa									143	
United Kingdom	19	44			38		3	104	2,030	(5/)
Zimbabwe	176							176	1,170	
Other	95	57			45	3	88	288	2,510	(5/)
Total	10,400	741	1,080	269	685	1,800	219	15,200	138,000	124
1999: January-November	102,000	8,870	13,600 6	2,810	4,090	4,360	2,510	138,000	XX	991
1998: January-November	113,000	9,070	12,500	1,640	3,900	4,120	2,820	147,000	XX	736

r/ Revised. XX Not applicable

<sup>1/</sup> Data are rounded to three significant digits; may not add to totals shown.

<sup>2/</sup> The nickel contents are assumed to be as follows: metallurgical-grade oxide (77%), waste and scrap (50%), and stainless steel scrap (7.5%). The chemical category includes chlorides (25%), sulfates (22%), and other salts (22%), supported catalysts (22%), and oxide, sesquioxide and hydroxide (65%).

<sup>3/</sup> Excludes wrought nickel.

<sup>4/</sup> May include revisions for prior months.

<sup>5/</sup> Less than 1/2 unit.

<sup>6/</sup> All or part of these data have been referred to the Bureau of the Census for verification.

# TABLE 5 U.S. EXPORTS OF NICKEL, BY COUNTRY 1/

(Metric tons, nickel content 2/)

Period and country of destination	Cathodes, pellets, and briquets	Powder and flakes	Ferro- nickel	Metal- lurgical- grade oxide	Waste and scrap	Stainless steel scrap	Chemicals	Total 3/	Total year to date	Wrought nickel
1998:	brique	Tranco	шекег	OAIGC	вегир	зегир	Chemicals	Total Si	dute	meker
November	38	108	1	158	1,300	1,040	156	2,800	38,300	39
December	217	90	1	96	1,120	3,340	367	5,230	43,500	77
January-December	1,210	1,080	918	1,230	12,700	22,400	4,010	43,500	XX	991
1999:	, , ,	,		,	,	,	,	- ,		
January	93	60		100	615	787	337	1,990	1,990	149
February	11	93	3	168	812	1,010	337	2,440	4,430	59
March	36	90	1	105	958	1,850	460	3,500	7,930	63
April	15	69	1	161	989	2,070	334	3,640	11,600	77
May	78	44		102	920	1,600	523	3,270	14,800	121
June	54	85	2	94	979	1,950	200	3,360	18,200	59
July	65	76	6	105	725	1,310	363	2,650	20,800	52
August	142	82	9	181	945	1,280	256	2,900	23,700	69
September	74	60	30	230	1,230	1,830	220	3,670	27,400	52
October	105	89		57	1,230	2,290	461	4,230	31,600	58
November:						,		,	, , , , , , , , , , , , , , , , , , , ,	
Australia									19	
Belgium		4			75	1	10	90	675	3
Canada	6	25		107	1,030	165	36	1,370	12,200	13
Germany	2	5			37	(4/)	16	60	610	4
India						61	(4/)	61	284	
Italy		1					1	2	24	(4/)
Japan		3			153	47	54	257	3,080	1
Korea, Republic of		4		1	7	597	8	617	6,810	(4/)
Mexico	48	10					32	90	1,210	31
Netherlands		(4/)			10		3	13	229	1
South Africa					18	138		156	1,220	
Spain		7				6		13	2,030	(4/)
Sweden						4	(4/)	4	142	
Taiwan		1				78	9	88	3,190	
United Kingdom		28			6	1	(4/)	35	676	19
Other	18	7			9	71	59	164	2,220	26
Total	74	95		108	1,340	1,170	228	3,020	34,700	98
1999: January-November	745	843	50	1,410	10,700	17,100	3,720	34,700	XX	857
1998: January-November	988	985	918	1,130	11,600	19,000	3,640	38,300	XX	914
XX N 1 1 11						· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			

XX Not applicable.

<sup>1/</sup> Data are rounded to three significant digits; may not add to totals shown.

<sup>2/</sup> The nickel contents are assumed to be as follows: metallurgical-grade oxide (77%), waste and scrap (50%), and stainless steel scrap (7.5%). The chemical category includes chlorides (25%), sulfates (22%), and other salts (22%), supported catalysts (22%), and oxide, sesquioxide and hydroxide (65%).

<sup>3/</sup> Excludes wrought nickel.

<sup>4/</sup> Less than 1/2 unit.

TABLE 6 U.S. IMPORTS FOR CONSUMPTION OF NICKEL ALLOYS, BY COUNTRY  $\ 1/\$ 

(Metric tons, gross weight )

Period and country	Unwrought	Bars, rods,		Plates and		Tubes and	Other alloyed		Total
•	alloyed		Wire	sheets	Foil			Total	year to
of origin	ingot	profiles	wire	sneets	FOII	pipes	articles	Totai	date
1998: November	_ 228	130	331	185		150	41	1,070	11,100
	_						16	984	
December	_ 130	276	261	189		112			12,100
January-December		2,140	3,710	1,860	20	1,600	559	12,100	XX
1999:		100	255	1.00		120	20	1.020	1 020
January	_ 239	188	277	166		120	38	1,030	1,030
February	198	253	339	172	1	37	48	1,050	2,080
March	_ 291	311	427	200	2	135	79	1,440	3,520
April	_ 265	222	344	137	2	33	72	1,070	4,590
May	_ 248	174	348	242	(2/)	244	75	1,330	5,920
June	_ 248	162	373	298	1	74	52	1,210	7,130
July		180	341	201	1	94	63	1,090	8,220
August	172	124	332	268	(2/)	65	46	1,010	9,220
September	128	158	246	192	10	35	109	878	10,100
October	85	137	336	281	(2/)	85	95	1,020	11,100
November:	_								
Australia	49							49	711
Belgium									125
Canada	17		1			1	3	22	338
France		9	54	24	9	2	(2/)	98	1,140
Germany	2	86	79	118		49	7	341	4,340
Italy		31	4			1	1	37	708
Japan			1		1	128	1	131	525
Mexico			1				11	12	49
Netherlands							11	11	222
South Africa	58							58	386
Sweden			140			9		149	1,820
United Kingdom	15	25	4	4		10	7	65	1,290
Other			63	(2/)		(2/)	29	92	535
Total	141	151	347	146	10	200	70	1,070	12,200
1999: January-November	2,220	2,060	3,710	2,300	27	1,120	746	12,200	XX
1998: January-November	2,120	1,860	3,440	1,670	20	1,490	543	11,100	XX

XX Not applicable.

1/ Data are rounded to three significant digits; may not add to totals shown.

<sup>2/</sup> Less than 1/2 unit.

#### TABLE 7 U.S. EXPORTS OF NICKEL ALLOYS, BY COUNTRY 1/

(Metric tons, gross weight )

Period and country of destination	Unwrought alloyed ingot	Bars, rods, and profiles	Wire	Plates and sheets	Foil	Tubes and pipes	Other alloyed articles	Total	Total year to date
1998:	iligot	promes	WITE	sileets	FOII	pipes	articles	Total	uate
November	460	313	140	661	7	61	150	1.790	24,100
December	_ 577	456	171	472	1	56	218	1,750	26,000
January-December	5,970	4,150	2,500	9,100	95	1,160	3,040	26,000	20,000 XX
1999:	_ 3,770	4,130	2,300	2,100	)3	1,100	3,040	20,000	AA
January	573	264	170	575	14	104	655	2,360	2,360
February	1,090	370	129	723	6	103	263	2,680	5,040
March	_ 1,090	496	163	688	7	48	206	2,500	7,540
April	- 910	349	168	688	72	72	266	2,530	10,100
	545	349	181	614	3	63	193	2,000	12,100
May June	- 543 682	363	225	620	5 5	63	272		,
July	_ 682 702	330	192	486	5 4	63 46	483	2,230	14,300 16,500
	_				7		273	2,240	
August	_ 643	184	322	570		53	273 164	2,050	18,600
September	806	363	139	542	6	54		2,080	20,700
October	927	340	145	538	5	82	204	2,240	22,900
November:	-	(2.5	10	165		2	2	100	526
Australia		(2/)	10	165		2	3	180	526
Belgium	_ (2/)	57	9	30		(2/)	(2/)	96	668
Canada	_ 14	49	18	55	18	38	46	238	2,230
France	428	85	(2/)	4		(2/)	21	538	7,630
Germany		23	10	23	(2/)	3	2	61	800
India		2		1			(2/)	3	19
Ireland		(2/)	13			(2/)	(2/)	13	386
Italy	_ 33	(2/)	4	22		(2/)	(2/)	59	943
Japan	_ 2	8	4	133		1	3	151	2,090
Korea, Republic of	_ 5	3	2	27		1	3	41	685
Mexico	12	1	96	1	(2/)	9	81	200	1,300
Netherlands	19	6	(2/)	(2/)		(2/)	(2/)	25	627
Singapore	_ 5	6	(2/)	1		(2/)	2	14	248
Spain		(2/)		1		(2/)		1	28
Sweden	_ 2	(2/)	(2/)	10		(2/)		12	116
Switzerland	_ 4	3		12		(2/)		19	463
Taiwan		(2/)	(2/)	18	(2/)	1	1	20	259
United Kingdom	68	67	20	129		9	6	299	3,710
Other	3	50	7	47	1	19	184	311	2,460
Total	595	360	193	679	19	83	352	2,280	25,200
1999: January-November	8,370	3,810	2,030	6,720	145	770	3,330	25,200	XX
1998: January-November	5,400	3,690	2,330	8,620	93	1,110	2,820	24,100	XX

XX Not applicable.

1/ Data are rounded to three significant digits; may not add to totals shown.

<sup>2/</sup> Less than 1/2 unit.

 ${\it TABLE~8} \\ {\it NICKEL~CONSUMPTION~IN~CAST~AND~WROUGHT~PRODUCTS} \\$ 

	Percent		
	Wrought	Cast	
December 1999:			
Stainless and heat resisting steels		21	
Alloy steels	100	(1/)	
Superalloys	86	14	
Copper-nickel alloys	96	4	
Other nickel-base alloys	100	(1/)	

<sup>1/</sup> Less than 1/2 unit.


TABLE 9 NICKEL PRICES

				18/8 Stainless
	Cathode	LME	LME	steel scrap
	NY Dealer	Cash	Cash	Pittsburgh
Date	\$/lb.	\$/t	\$/lb.	\$/long ton(gw)
1999:				
Average for week ending:				
November 5	3.69-3.82	7,980.500	3.620	750-770
November 12	3.69-3.77	8,031.000	3.643	750-770
November 19	3.63-3.74	7,878.000	3.573	750-770
November 26	3.65-3.72	7,911.000	3.588	750-770
December 3	3.69-3.75	7,942.000	3.602	835-845
December 10	3.75-3.86	8,031.500	3.643	835-845
December 17	3.69-3.84	8,023.000	3.639	835-845
December 24	3.76-3.85	8,156.500	3.700	835-845
December 31	3.83-3.91	8,395.000	3.808	835-845
Average for month of:				
November	3.665	7,949.545	3.606	760
December	3.744	8,083.375	3.667	840
Yearly average p/	2.750	6,011.227	2.727	625
Average for month of:				
January 2000	3.753	8,309.500	3.769	855
2000:				
Average for week ending:				
January 7	3.85-3.87	8,234.375	3.735	850-860
January 14	3.76-3.80	8,130.000	3.688	850-860
January 21	3.47-3.91	8,282.000	3.757	850-860
January 28	3.93-3.97	8,497.500	3.854	850-860
n/ Preliminary				

p/ Preliminary.

Source: Platt's Metals Week and American Metal Market.

#### 1996-99 STOCKS



### 1997-2000 AVERAGE MONTHLY PRICES

(Derived from Metals Week and American Metal Market quotations)

